GRAMS: "EXPLOSIVES" MANGALORE

PHONE: 44 15 88

GOVERNMENT OF INDIA

MINISTRY OF INDUSTRY

DEPARTMENT OF EXPLOSIVES

TO FLOW Manipady Complex Telegram H

II Floor, Manipady Complex, Telecom House Road M A N G A L O R E - 575 001

No: E-1(9)-3.

Dated, the: 22-09-1997.

CIRCULAR

71 - 3497

Sub: Public Display of Fireworks requiring Licence - provision in the Explosives Rules, 1981.

The Public display of fireworks involves generally the items specially made for the purposes, directly procured from the manufacturers and assembled at site. Such Fireworks are of Class 7 Division 2, Sub-Division 3 as defined under Para 7 under Class 7 Fireworks in Schedule-I of Explosives Rules, 1983. Save as provided under Rule 114(1)(b) of Explosives Rules 1983, for such display, it is obligatory to obtain a licence in Form "29" from the Office of the Jt. Chief Controller of Explosives, South Circle, Chennai - 6. The Organiser of such Fireworks display, therefore, may be advised to apply to the Office of the Jt. Chief Chief Controller of Explosives, South Circle, Shastri Bhavan, 26, Haddows Road, P.O. Nungambakkam, Chennai - 600 006 for grant of licence in prescribed application in Form "12" with other necessary documents as required under Rule 154 (7) of abovesaid Rules fulfilling the requirements of the conditions of licence in Form "29" of Explosives Rules, 1983. Such application should be made to the above office sufficiently in advance.

Once again it is clarified that as provided under Rule 114(1)(b), no licence shall be necessary for the possession by any person of Manufactured Fireworks in any quantity not exceeding 25 Kgs. provided that the Fireworks are obtained and intended by such person for immediate use and not for sale and are possessed by him for a period not exceeding 14 days.

by. Chief Controller of Explosives Mangalore

action. The District Magistrates in Karnataka for necessary

Copy to the Jt. Chief Controller of Explosives, South Circle, Chennai - 6 with reference to his Circular No. M.42(b) dated 03.09.97 for information.

からかん をそのころが のまりかかりからからない

an C

Go la

ey 8/1

^ .

ge

kvn*